

AMENDMENTS TO CLAIMS

All pending claims are reproduced below. This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

1. (Previously presented) A system for providing content in a modular presentation system, comprising:
 - a plurality of displays, wherein each display neighbors at least one other display and at least two of the plurality of displays are in visual proximity to each other;
 - an input device that receives input of a gesture to move a content from a first display of the plurality of displays; and
 - a processor, that interprets a direction to move the content from the first display based on the gesture, that specifies a second display to which the content is to be moved, based on the gesture and the position of the plurality of displays and that propagates the content of the first display to the second display.
2. (Original) The system of claim 1 wherein each of the plurality of displays is configured to:
 - receive new content identification information; and
 - transmit old content identification information; and
 - present content associated with the new content identification information.
3. (Original) The system of claim 2 wherein new content identification information is received from a processor associated with a neighboring display in the reverse propagation direction, the old content identification information is transmitted to a processor associated with a neighboring display in the forward propagation direction, the forward propagation direction derived from the gesture input.

4. (Original) The system of claim 2 wherein receive new content identification information includes:

retrieving new content identification information from a memory stack.

5. (Previously presented) A method of providing content in a modular presentation system having a plurality of displays, wherein at least two of the plurality of displays are in visual proximity to each other, the method comprising:

receiving input of a gesture to move a first content presented on a first display of the plurality of displays;

interpreting a direction to move the content from the first display based on the gesture;

specifying a second display to which the first content is to be moved based on the gesture and the relative position of the plurality of displays; and

presenting the first content at the second display and a second content at the first display.

6. (Original) The method of claim 5 wherein receiving gesture input includes:

receiving input on a touch screen display.

7-8. (Cancelled).

9. (Previously presented) The method of claim 5 wherein presenting the second content at the first display includes retrieving a second URL and sending the second URL to the first display.

10. (Previously presented) The method of claim 5 wherein presenting the first content at the second display includes sending a first URL to the second display.

11-12. (Cancelled).

13. (Previously presented) A computer readable medium with instructions for execution by a computer for providing content in a modular presentation system having a plurality of displays,

wherein at least two of the plurality of displays are in physical and visual proximity to each other, the instructions comprising:

- receiving input of a gesture to move first content presented on a first display;
- interpreting a direction to move the content from the first display based on the gesture;
- and
- presenting the first content at the second display.

14. (Previously presented) The computer readable medium of claim 13 wherein receiving input of the gesture includes:

- receiving input on a touch screen display.

15-17. (Cancelled).

18. (Previously presented) The computer readable medium of claim 13 wherein presenting the first content at the second display includes sending a first URL to the second display.

19-20. (Cancelled).

21. (Previously presented) The system of claim 1, wherein the content of the second display is automatically propagated on a third display in the plurality of displays.

22. (Previously presented) The system of claim 21, wherein the third display is in visual proximity to the first and second display.

23. (Previously presented) The system of claim 21, wherein the content of the third display is automatically propagated on a display in the plurality of displays.

24. (Previously presented) The method of claim 5, wherein the content of the second display is automatically presented to a third display in the plurality of displays.

25. (Previously presented) The method of claim 24, wherein the third display is in visual proximity to the first and second display.
26. (Previously presented) The method of claim 24, wherein the content of the third display is automatically presented to a display in the plurality of displays.
27. (Previously presented) The computer readable medium of claim 13, wherein the instructions further provide for a second content of the second display to be automatically presented to a third display in the plurality of displays.
28. (Previously presented) The computer readable medium of claim 28, wherein the instructions further provide that the third display is in visual proximity to both the first display and the second display.
29. (Previously presented) The computer readable medium of claim 28, wherein the instructions further provide that a content of the third display is automatically presented to another display in the plurality of displays.
30. (Previously presented) The computer readable medium of claim 28, wherein the instructions further provide that presenting the second content at the third display includes retrieving a second URL and sending the second URL to the third display.
31. (Previously presented) A system for providing content in a modular presentation system, comprising:
- a plurality of displays, wherein each display neighbors at least one other display;
 - an input device that receives input of a gesture to move a content from a first display of the plurality of displays; and
 - a processor, that interprets a direction to move the content from the first display based on the gesture, that specifies a second display to which the content is to be moved, based on the gesture and the position of the plurality of displays and that propagates the content of the first

display to the second display and automatically propagates a second content of the second display to a third display of the plurality of displays.